

Transpaco

P A C K A G I N G

CATALOGUE



Transpaco Packaging operates nationally. Your One-stop, Off-the-shelf Packaging to the Wholesale, Retail and Industrial Sectors.



South Africa's largest Plastic Recycling Facility with sophisticated Collecting, Sorting and Re-processing.



Manufacturers of 7-layer Cast Pallet Wrap, using the latest state-of-the-art technology and Machinery. ISO approved. National Distribution Network.



The Collection Division of all Low Density and High Density Plastic Products for the Recycling industry. Network.



Transpaco Flexibles are leaders in the manufacturing of Flexible Plastic Packaging for Retail, Industrial and Agricultural Industries.



Print and packaging converters for the pharmaceutical, cosmetic, confectionary and Allied industries.



A manufacturer of Customised Tubes and Cores.

Transpaco is a leading plastic and packaging manufacturer, focused on sustainable growth activities, satisfying the needs of its customers, shareholders and employees. Transpaco is committed to the protection of the environment and dedicated to the conversion and re-use of natural resources.

- 1 Cast Pallet Wrap / Pallet Wrap Machines
- 4 Catering
- 6 Cleaning
- 8 General / Safety
- 12 Stationary / Twine
- 14 Corrugated
- 16 Strapping / Strapping Equipment
- 20 Paper
- 23 Plastics
- 27 Tapes

All products are supplied in accordance with our standard trading terms and conditions.

Goods are supplied F.O.R. Gauteng and prices are quoted exclusive of VAT.

Errors and omissions excepted.

Advantages of Cast Film

- **Multi-layers for extra strength**
The film has great tear and puncture resistance.
- **Lower yield point**
The film is therefore easier to pull.
- **Higher pre-stretch rate**
(>150%) i metre of film can easily be stretched up to 1.5 metres, but still retain its strength.
Film can therefore be saved substantially.
- **Lowest squashing rate**
The strength, yield and stretch features above allow palletised goods to be well stabilised and held tightly, reducing the risk of squashing.
- **Consistent and uniform cling**
Instead of applying PIB as adhesive material like blown film, cast film has special ingredients in the raw material which generates film-tofilm adherence. There is no sticky or oily residue.
- **Non-Telescoping**
The roll of Cast Pallet can be used, right down to the last metre. In contrast to this, the end reel of blown film has to be discarded, due to its telescoping nature.
- **Noise-free**
The process of re-winding and wrapping is completely quiet.
- **Superior clarity**
Barcodes and product descriptions printed on packaging can be easily scanned and easily read through the film.
- **Excellent gauge and thickness control**
The thickness of the film is very even and consistent, which facilitates automated stretch wrapping applications where the film is stretched over loads which may be irregular in shape.
- **Environmentally friendly**
Cast film is made from recyclable LLDPE.

Formation of the film

Seven-layer casting film is the product of the most advanced technology in stretch film/pallet wrap industry.



Cast PalletWrap / Pallet Wrap Machines



**7-Layer Cast
Manufacturing Machine**



Machine Rolls



**Robot 55
Pallet Wrap Machine**

Battery Operated

Pallet weight: n/a
Film width: 500mm
Film micron 15-30
Cling side: Inside or outside



Pallet Wrap

- a** Extended Core Pallet Wrap
- b** Standard Core Pallet Wrap
- c** Pallet Wrap dispensers

Cast PalletWrap / Pallet Wrap Machines

**Pallet Wrapper
Ecoplat PPS
(Powered Pre-Stretch)**



**Pallet Wrapper
Ecoplat Base**



| MACHINE | | ECOPLAT BASE | ECOPLAT | ECOPLAT TP |
|-------------------------------|--------|-------------------------|-------------------------|-------------------------|
| Plate diameter | mm | 1500 | 1500 | 1500 |
| Max. load weight | Kg | 1200 | 2000 | 1200 |
| Max.load height | mm | 2200 | 2200 | 2200 |
| Spool carriage | | FRD | FRD, RS, PPS | FRD, RS, PPS |
| Variable plate rotation speed | RPM | da 4 a 10/ from 4 to 10 | da 4 a 10/ from 4 to 10 | da 4 a 10/ from 4 to 10 |
| Variable spool carriage speed | mt/min | da 1 a 4/ from 1 to 4 | da 1 a 4/ from 1 to 4 | da 1 a 4/ from 1 to 4 |
| Power supply | VAC | 230 1 PH (±20%) | 230 1 PH (±20%) | 230 1 PH (±20%) |
| Power supply frequency | Hz | 50/60 | 50/60 | 50/60 |



Disposable Plastic Gloves

100 per packet or 1 pair per sleeve



Aprons

- a Plastic disposable - printed also available
- b Washable nylon
- c PVC - short and long



TW450E Wrapping machine for food film



Cling Wrap and dispenser



Foil

Heavy Duty and Light Duty

Catering



Fast Food Serving Items

| | |
|------------------------------|-----------------|
| 1 Ply catering serviettes | 3000 per carton |
| White plastic teaspoons | 6000 per bale |
| White plastic dessert spoons | 3000 per bale |
| White plastic forks | 3000 per bale |
| White plastic knives | 3000 per bale |
| Wrapped drinking straws | 2500 per carton |

Foam Food Trays

| Ref | size (mm) | qty/pack |
|-----|----------------------|----------|
| 2 | 215 x 181 x 19 | 800 |
| 2D | 215 x 181 x 36 | 500 |
| 6 | Hamburger | 500 |
| 8 | 235 x 122 x 30 | 500 |
| 14 | 175 x 149 x 36 | 1000 |
| 15 | 174 x 143 x 54 | 1000 |
| 29 | 210 x 94 x 20 | 1000 |
| 34 | 275 x 216 x 21 | 500 |
| 40 | Meal pack | 300 |
| 41 | Meal pack | 300 |
| 55 | 110 x 110 x 6 | 1500 |
| 60 | 156 x 131 x 20 | 1500 |
| 65 | 181 x 85 x 20 | 1500 |
| 69 | 265 x 184 x 26 | 500 |
| 69D | 265 x 184 x 26 | 400 |
| 70 | 179 x 131 x 20 | 1000 |
| 71 | 215 x 163 x 18 | 1000 |
| 71M | 215 x 163 x 22 | 1000 |
| 73 | 225 x 137 x 22 | 1000 |
| 74 | 192 x 137 x 24 | 1000 |
| 75 | 260 x 130 x 18 | 1000 |
| 77 | Poultry - whole bird | 1000 |
| 79 | 220 x 220 x 20 | 500 |
| 80 | 334 x 262 x 25 | 1000 |
| 90 | 216 x 151 x 25 | 1000 |



Cleaning Materials



Cleaning Chemicals

| | |
|------------------------------|-----------|
| Ammoniated cleaner | 5 litres |
| Dishwasher | 5 litres |
| Bleach | 5 litres |
| Fabric softener | 5 litres |
| General purpose detergent | 20 litres |
| Washing powder | 12.5 kg |
| Available in 5 and 20 litres | |

Wiper Roll Dispenser



Wiper Rolls

| | |
|--------------------------|---------------------|
| 1 Ply wiper rolls | 165 x 1500 metres |
| 1 Ply wiper rolls | 183 x 1500 metres |
| 2 Ply wiper rolls | 272 x 1000 metres |
| 1 Ply "tidy towel rolls" | 206 mm x 300 metres |
| Mutton cloth rolls | 400 g |




Toilet Paper - Virgin & Recycled

| | |
|------------------------------|-------------------|
| 1 Ply unwrapped toilet paper | 30 or 48 per bale |
| 2 Ply unwrapped toilet paper | 48 per bale |

Cleaning Materials

Brushes



- a Large scrubbing brush
- b Soft carpet brush
- c Small scrubbing brush

Platform Brooms




12", 18", 24" & 36"

Soft Nylon Brooms



Squeeges Wooden Handle



Mops



- a Mop string
- b Clamp steel mop
- c Mop long hair

Duster

18" & 36"



Hair Nets





2 Piece Continental Suits

1 Piece and various Colours available



PVC Heavy Duty Rainsuits -Yellow

Various Colours available

Industrial Gloves

2", 8" Double palm glove



Candy stripe chrome leather glove



PVC safety cuff red glove



Comrex Knit Wrist and PVC petroleum gloves



Tysonflex polyurethane / Nitrile gloves



Yellow household gloves



Crochet cotton gloves

General / Safety



Hard Hats

All colours



Nuisance Dust Mask

SABS approved



Latex Surgical Gloves



Glue Sticks

11.2 x 300 mm



Safety Shoes

Many Styles and Brands Available



Rubber Bands Specifications

| | | | | | | | | |
|--------|-----|-----|-----|-----|-----|-----|-----|-----|
| Number | 8 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| Length | 22 | 32 | 38 | 44 | 41 | 51 | 57 | 63 |
| Width | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 |
| Number | 17 | 18 | 19 | 20 | 21 | 22 | 24 | 26 |
| Length | 70 | 76 | 89 | 102 | 114 | 127 | 152 | 22 |
| Width | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 1.5 | 3 |
| Number | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 |
| Length | 32 | 38 | 44 | 51 | 63 | 76 | 89 | 100 |
| Width | 3 | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| Number | 35 | 36 | 37 | 38 | 39 | 50 | 59 | 60 |
| Length | 114 | 127 | 140 | 152 | 165 | 51 | 32 | 38 |
| Width | 3 | 3 | 3 | 3 | 3 | 1.5 | 6 | 6 |
| Number | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 |
| Length | 51 | 63 | 76 | 89 | 102 | 114 | 127 | 14 |
| Width | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| Number | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 |
| Length | 152 | 38 | 51 | 63 | 76 | 89 | 102 | 110 |
| Width | 6 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| Number | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 |
| Length | 127 | 140 | 152 | 38 | 51 | 63 | 76 | 89 |
| Width | 10 | 10 | 10 | 13 | 13 | 13 | 13 | 13 |
| Number | 85 | 86 | 87 | 88 | 89 | 91 | 92 | 93 |
| Length | 102 | 114 | 127 | 140 | 152 | 51 | 63 | 76 |
| Width | 13 | 13 | 13 | 13 | 13 | 19 | 19 | 19 |
| Number | 94 | 95 | 96 | 104 | 105 | 106 | 107 | 108 |
| Length | 89 | 102 | 114 | 114 | 127 | 152 | 178 | 20 |
| Width | 19 | 19 | 19 | 16 | 16 | 16 | 16 | 16 |



Rubber Bands

Crepe and compound available in 100 g/500 g bags and 1 kg bulk pack

General / Safety

Hessian

Available by the metre or in convenient
3 m, 5 m & 10 m packs
137 & 183 cm widths



Vacuum Packing Machines



Wire Ties

annealed and
galvanised



Wire Tying Tool



Padded and Bubble wrap envelopes



Stencilopes Document holders

Twine



Polypropylene twine
1 kg & 5 kg



Dry sisal twine 500 g, 1 kg & 2 kg balls
Tarred sisal twine 1 kg & 2 kg
Cotton twine No. 104, 304, 306, 309

Stationary



**Rapid No. 1
Classic plier**



Rapid 34 Staple Gun



Industrial Office Staples

Various types and sizes available and
general stapling purposes

Corrugated Carton/Board



Document storage files



Die cut boxes

Single Face Corrugated Board Rolls (SFK)

Various widths ex stock

| size (mm) | kg per roll | length |
|-----------|-------------|------------|
| 102 | 2.7 | all widths |
| 152 | 4.2 | 70 metres |
| 203 | 5.4 | per roll |
| 305 | 8.2 | |
| 457 | 12.2 | |
| 610 | 16.3 | |
| 762 | 20 | |
| 915 | 22 | |
| 1220 | 30 | |
| 1525 | 35 | |
| 1830 | 40 | |



Corrugated Carton/Board

Bottom Closer
Foot Operated




Corrugated Cartons

Unprinted and printed
Stock sizes readily available
- specials on request

Carton stock sizes

| | |
|--------|--------------------|
| 1 | 152 x 102 x 102 mm |
| 2 | 230 x 152 x 162 mm |
| 3 | 254 x 152 x 254 mm |
| 4 | 305 x 229 x 305 mm |
| 5 | 457 x 305 x 305 mm |
| 6 | 610 x 457 x 305 mm |
| 7 | 457 x 457 x 508 mm |
| Tvl 2 | 500 x 400 x 145 mm |
| Tvl 4 | 500 x 400 x 285 mm |
| Tvl 6 | 500 x 400 x 450 mm |
| Tvl 9 | 500 x 400 x 655 mm |
| Tvl 12 | 500 x 400 x 780 mm |



**Hanger Inserts for
Wardrobe Cartons**



**A58 Top Closer
for Corrugated Cartons**

Strapping / Strapping Equipment



H54 Tensioner

9-19 mm
For Steel Strap



**MIP 1860 Heavy Duty
19-32 mm Tensioner Range**

0.6-0.9



**MIP 4900 PET
Regular Duty
12-19 mm
Sealess Combi Tool**

0.63 Max thickness for
PET Strap



H21 Tensioner

(Polywoven & Poly prop strap)



H35 Crimper

for 12 mm seals



**Transpak Combi
Tool 13/16 mm**

Polyester Strap H42



**Polywoven and Polyprop
Strapping**

All sizes available

Strapping / Strapping Equipment



Pet Strap

All sizes available

MIP 1120
10, 13, 16 & 19 mm
Crimper for Steel Strap



STB 70 Friction Welder
for 9-16 mm Pet Strap



**3-in-1
Combination
Tool**



**Steel
Strapping**

10 mm, 13 mm, 16 mm,
19 mm, 32 mm widths
Various qualities available



Strapping / Strapping Equipment



OMS FRIC Welder
For PET Strapping

EXS 118 Fully Automatic Strapping Machine



| | |
|--------------------|---|
| Machine Tension: | 3 - 7 kgs |
| Strap Width: | 9 - 15 mm |
| Strapping Speed: | 30 Straps/Min. (60HZ) 28 Straps/Min. (50Hz) |
| Machine Dimension: | 1 110 mm(L) x 550 mm(W) x 1 480 mm(H) |
| Machine Weight: | 142 kgs |
| Power Supply: | 100, 110, 220, 230, 240V, 50/60Hz, 1-Phase |
| Power Consumption: | 0.32 KW |

EXS 306 Semi Automatic Strapping Machine




| | |
|--------------------|--|
| Machine Tension: | 5 - 50 kgs |
| Strap Width: | 5 - 15 mm |
| Strapping Speed: | 2.5 SEC./Strap |
| Machine Dimension: | 895 mm(L) x 565 mm(W) x 730 mm(H) |
| Machine Weight: | 100 kgs |
| Power Supply: | 100, 110, 220, 230, 240V, 50/60Hz, 1-Phase |
| Power Consumption: | 0.4 KW |


Strapping / Strapping Equipment



19 mm & 32 mm
Plastic edge
protectors



Plastic buckles
for polypropylene
strapping




Wire Buckles and Phosphate
Buckles for Polypropylene and
Woven Strapping

Various sizes
available



Non-slip
Circular Buckles



Seals, Overlap, Open
Closed and Serated



Brown Craft Wrapping Paper

Griptight wrap, Superwrap, Butcher wrap, Mandini wrap

Available in sheets and counter reels 40 - 100 gsm




Cap Paper



Chip Board

1.2 mm thick 770 mm x 1020
50 kg bundle / 73 sheets

1.8 mm thick 770 mm x 1020
50 kg bundle / 48 sheets



Tissue & Greaseproof paper

a Cap tissue paper - acid-free

b Geaseproof paper - sheets

c Greaseproof bags - sizes 0.5, 1, 2



Emtini Liner Board for pattern making

910 mm x 125, 160, 230, 255 gsm

1145 mm x 160, 230 gsm

1270 mm x 160, 230, 255, 340 gsm

1525 mm x 160, 230 gsm

Paper

Waterproof Paper

Waterproof paper 760 mm x 200 m
Waterproof paper 1520 mm x 200 m
Waterproof paper 1520 mm x 100 m
Waxed paper 750 mm wide
Bitumenised crepe kraft



Shredded Paper



White Newsprint Unprinted



Paper Cores

Manufactured to
your requirements



Cushion Craft Single/Double

1250 mm x 82 m per roll





Self Opening Brown Paper Bags


| size | dimensions (mm) | bale |
|------|-----------------|------|
| 1/2 | 75 x 43 x 150 | 10 m |
| 1 | 80 x 60 x 187 | 8 m |
| 2 | 110 x 60 x 195 | 6 m |
| 3 | 128 x 74 x 195 | 6 m |
| 4 | 128 x 74 x 225 | 4 m |
| 5 | 128 x 74 x 195 | 3 m |
| 6 | 155 x 90 x 287 | 3 m |
| 8 | 165 x 102 x 301 | 2 m |
| 10 | 165 x 102 x 345 | 2 m |
| 12 | 180 x 102 x 335 | 2 m |
| 14 | 180 x 102 x 380 | 1 m |
| 16 | 196 x 115 x 385 | 1 m |
| 20 | 208 x 127 x 390 | 1 m |



Edge Guards

Different sizes available

Plastics



Plastic Carrier Bags

| | |
|-----------------------------------|--------------------|
| Budget carriers mini (8 litre) | 200 + 120 x 440 mm |
| Budget carriers handy (12 litre) | 230 + 130 x 440 mm |
| Budget carriers midi (20 litre) | 270 + 130 x 540 mm |
| Bottle king carriers mini | 205 + 130 x 470 mm |
| Bottle king carriers 6-pack handy | 240 + 140 x 470 mm |
| Bottle king carriers maxi | 280 + 140 x 570 mm |
| Blue heavy duty handy carriers | 240 + 140 x 500 mm |
| Benjy carrier | 385 + 180 x 700 mm |



Refuse Bags

Virgin BOR Plastic



Laundry Film



Shrink Sheeting and
FF & S Sheeting

Plastics



Shrink Tunnel 6040PE2

Tunnel size 1800 x 600 x 400
Conveyor speed 30m/min 3-Phase



Bubble Wrap

Rolls, sheets and bags
Antistatic bubble wrap



Printed Bags

To your requirements
on request

Plastics



Impulse Heat Table Sealer



Explosive Sheeting



Polystyrene Chips

1 Bag = 0.3 cubic metres

Airothene Wrap

1 mm, 2 mm or 3 mm thick
1 m or 1.5 m wide



Impulse Foot Heat Sealer



Industrial Heat Gun Gas Pack


Plastic Self Opening Bags

| | |
|--------|--------------------|
| No. 2 | 115 x 80 x 215 mm |
| No. 4 | 120 x 80 x 260 mm |
| No. 6 | 150 x 100 x 280 mm |
| No. 8 | 150 x 100 x 330 mm |
| No. 12 | 200 x 100 x 380 mm |
| No. 16 | 200 x 100 x 440 mm |
| No. 20 | 180 x 110 x 470 mm |



Plastic Dumpy Bags (a)

Small 240 x 130 x 460 mm
Large 330 x 130 x 580 mm



Plastic Bottle Bags (b)

| | |
|--------|--------------|
| Flask | 150 x 260 mm |
| Single | 160 x 400 mm |
| Double | 240 x 400 mm |



Foilene Rolls and sheets

Foilene sheets 400 x 570 mm
Sheets/ream 5 reams/box
Foilene sheets on roll 300 x 400 mm
sheet/roll

Self Seal Clear Bags

sizes

| | | |
|--------------|--------------|--------------|
| 65 x 85 mm | 120 x 180 mm | 180 x 320 mm |
| 80 x 120 mm | 150 x 180 mm | 215 x 315 mm |
| 100 x 150 mm | 150 x 250 mm | 250 x 360 mm |



Polywoven bags Printed & Plain

Tapes / Dispensers



HSTM and Eurocell
Packaging Tape



Bag Neck Sealer



BP333 Gum Tape
Dispenser
Portable



Gum Tape Dispenser
Packer 3S



Gum Tape
Dispenser 500

Tapes / Dispensers

EXC-103TB Tape carton Sealer

Top Bottom
sealer
semi-automatic



Branded Security Tape



General Adhesive Tapes



Packaging Tape Dispenser

Print Wiz
Design your own
printed security tape



Security Labels



| | Telephone | Facsimile | Cellular |
|--------------|--------------|--------------|--------------|
| GAUTENG | 011 891 1300 | 011 493 5229 | 083 379 3125 |
| BLOEMFONTEIN | 051 430 0081 | 051 430 0087 | 079 565 9216 |
| POLOKWANE | 015 292 1479 | 015 292 0413 | 082 976 4366 |



| | Telephone | Facsimile | Cellular |
|------------------|--------------|--------------|--------------|
| BRONKHORSTSPRUIT | 013 933 3554 | 013 933 3357 | 082 452 0084 |
| CAPE TOWN | 021 982 5624 | 021 982 5626 | 082 455 9768 |
| DURBAN | 031 705 5220 | 031 705 5230 | 084 507 1471 |
| PORT ELIZABETH | 041 486 3156 | 086 670 1040 | 083 627 3940 |

TRANSPACO PACKAGING (PTY) LTD.

9 Booyens Station Road, Stafford Township, Johannesburg 2197 • PO Box 1308, Johannesburg, 2000, South Africa
• Telephone 011 891 1300 • Fax 011 493 5229 • Web www.transpaco.co.za • Email transpack@transpaco.co.za